Page 1/11



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1 Product identifier**

Trade name: LUCITE® 120 PU-Matt Color

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Coating agent

# Uses advised against

This product is not suitable for uses other than those specified in the "Use of the substance/mixture". If your particular manner of use is not listed, please contact the creator of this safety data sheet.

# 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Dörken Coatings GmbH & Co. KG Wetterstr. 58 58313 Herdecke Germany www.doerkencoatings.de

Phone: +49 2330 63 243 Fax: +49 2330 63 100 243

Further information obtainable from: msds.coatings@doerken.de

1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

# 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Warning Hazard-determining components of labelling: 2-methyl-2H-isothiazol-3-one

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

(Contd. on page 2)

Page 2/11



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

Revision: 11.02.2025

# Trade name: LUCITE® 120 PU-Matt Color

1,2-benzisothiazol-3(2H)-one

(Contd. of page 1)

Hazard statements
H317 May cause an allergic skin reaction.
Precautionary statements
P280 Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional information:
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
2.3 Other hazards
Results of PBT and vPvB assessment

# Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

| CAS: 13463-67-7  | Titanium dioxide   | 10-25%          |
|--|--|-----------------|
| EINECS: 236-675-5<br>Reg.nr.: 01-2119489379-17-xxxx                    | Carc. 2, H351  | 10-2070         |
| CAS: 34590-94-8<br>EINECS: 252-104-2<br>Reg.nr.: 01-2119450011-60-xxxx | Dipropylene glycol monomethyl ether<br>substance with a Community workplace exposure<br>limit  | <2.5%           |
| CAS: 77-99-6<br>EINECS: 201-074-9<br>Reg.nr.: 01-2119486799-10-xxxx    | propylidynetrimethanol<br>Repr. 2, H361fd  | <0.25%          |
| CAS: 2634-33-5<br>EINECS: 220-120-9<br>Reg.nr.: 01-2120761540-60-xxxx  | 1,2-benzisothiazol-3(2H)-one<br>Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic<br>Acute 1, H400; Aquatic Chronic 1, H410; Acute<br>Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1,<br>H317<br>Specific concentration limit:<br>Skin Sens. 1; H317: C≥ 0.05 %   | ≥0-<0.025%      |
| CAS: 2682-20-4<br>EINECS: 220-239-6<br>Reg.nr.: 01-2120764690-50-xxxx  | 2-methyl-2H-isothiazol-3-one<br>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute<br>Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1,<br>H318; Aquatic Acute 1, H400 (M=10); Aquatic<br>Chronic 1, H410 (M=1); Skin Sens. 1A, H317,<br>EUH071<br>Specific concentration limit:<br>Skin Sens. 1A; H317: $C \ge 0.0015 \%$ | ≥0.0015-<0.0259 |

- DE/EN

Page 3/11



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

Revision: 11.02.2025

# Trade name: LUCITE® 120 PU-Matt Color

|                                |  | (Contd. of page 2 |
|--------------------------------|--|-------------------|
| CAS: 55965-84-9                | mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one            | ≥0.00025-<0.0015% |
| Reg.nr.: 01-2120764691-48-xxxx | and 2-methyl-2H-isothiazol-3-one (3:1)                       |                   |
|                                | Acute Tox. 3, H301; Acute Tox. 2, H310; Acute                |                   |
|                                | Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1,               |                   |
|                                | H318; Aquatic Acute 1, H400 (M=100); Aquatic                 |                   |
|                                | Chronic 1, H410 (M=100); Skin Sens. 1A, H317,                |                   |
|                                | EUH071   |                   |
|                                | Specific concentration limits:                               |                   |
|                                | Skin Corr. 1C; H314:C ≥ 0.6 %                                |                   |
|                                | Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %                      |                   |
|                                | Eye Dam. 1; H318: C ≥ 0.6 %                                  |                   |
|                                | Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %                       |                   |
|                                | Skin Sens. 1A; H317: C ≥ 0.0015 %                            |                   |
|                                | l<br>wording of the listed borond physics refer to costion 1 |                   |

Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

# **General information:**

In all cases of doubt, or when symptoms persist, seek medical advice.

Soiled, soaked clothes immediately take off.

Never give anything by mouth to an unconscious person.

### After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

# After eye contact:

Remove contact lenses. Keep eye lids open and rinse plentifully for at least 10 minutes with clean running water. Subsequently consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an opthalmologist.

# After swallowing:

Rinse mouth thoroughly with water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

# 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

# 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

(Contd. on page 4)

DE/EN



according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

Revision: 11.02.2025

# Trade name: LUCITE® 120 PU-Matt Color

(Contd. of page 3)

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing agents:

Extinguishing powder, foam, carbon dioxide.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

# 5.2 Special hazards arising from the substance or mixture

Fire will produce dangerous decomposition products like dense, black smoke, carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO) and nitrogen oxides (NOx). Inhalation may cause serious health damage. Under certain fire conditions, traces of other toxic gases cannot be excluded.

# 5.3 Advice for firefighters

### Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Avoid contact with skin and eyes.

# 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Keep contaminated washing water and dispose of appropriately.

# 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

## 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid prolonged, intensive skin contact and contact with the eyes.

Avoid the handling of incompatible substances and mixtures. Incompatible substances: see section 10.5

Information about fire - and explosion protection: No special measures required.



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

# Trade name: LUCITE® 120 PU-Matt Color

|   |   | (Contd. of page 4) |
|---|---|--------------------|
| 7.2 Conditions f<br>Storage:  | or safe storage, including any incompatibilities  |                    |
| Requirements to<br>Make sure spills<br>Protect from frost<br>Information abo<br>Note the rules for<br>transportable con<br>Store away from              | foodstuffs.<br>tion about storage conditions: None.   | bstances in        |
| 7.3 Specific end  | use(s) No further relevant information available.   |                    |
|   | Exposure controls/personal protection   |                    |
|   |   |                    |
| 8.1 Control para  | limit values that require monitoring at the workplace:  |                    |
| -   | opylene glycol monomethyl ether   |                    |
| •   | Long-term value: 310 mg/m <sup>3</sup> , 50 ppm   |                    |
| ( ),  | 1(I);DFG, EU, 11  |                    |
| IOELV (EU)  | Long-term value: 308 mg/m³, 50 ppm<br>Skin  |                    |
|   | ure of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazo   | ol-3-one (3:1)     |
|   | Long-term value: 0.2E mg/m³<br>vgl.Abschn.Xc  |                    |
| Regulatory infor<br>AGW (Germany)<br>IOELV (EU): (EU<br>Additional infor  | : TRGS 900  |                    |
| Appropriate eng   | ntrols Provide good ventilation and/or an exhaust system in the work area.<br>ineering controls<br>entilation. This can be achieved by local exhaustion or general exhaust air. |                    |
| General protecti<br>Wash hands befor<br>Avoid contact with<br>Immediately remore<br>Do not eat, drink,<br>Use skin protection<br>Respiratory protection | ion is always required when spraying.   |                    |
| Use combination   | filter A2(-P2) according to EN 14387.   | (Contd. on page 6) |
|   |   | DE/EN -            |
|   |   |                    |



according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

Revision: 11.02.2025

(Contd. of page 5)

# Trade name: LUCITE® 120 PU-Matt Color

### Hand protection

Work with gloves. Gloves must be inspected for damage before use. Defective or damaged gloves must not be used. Gloves must satisfy the specifications of EC directive 89/686/EWG and standard EN 374. It is recommended to use long gloves to minimize contact by splashing.

### Material of gloves

#### Nitrile rubber

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye/face protection

Wear protective goggles to protect against splashing. Have eye wash bottle or eye rinse ready at work place. Professional Cooperative Rules - BGR 192 Use of eye and face protection

Body protection: Impervious protective clothing

# **SECTION 9: Physical and chemical properties**

| ording to colouring<br>lycol ethers<br>e for mixtures.<br>related. |
|--|
| lycol ethers<br>e for mixtures.                                    |
| lycol ethers<br>e for mixtures.                                    |
| e for mixtures.  |
|  |
| alatad   |
| elateu.  |
|  |
| -18-5 water)   |
| e.   |
|  |
| ed.  |
| ed.  |
| e.   |
| e.   |
| not applicable.  |
|  |
| elated.  |
|  |
| terdilutable.  |
| e.   |
| or difficult to mix.   |
|  |

Page 7/11



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

Revision: 11.02.2025

# Trade name: LUCITE® 120 PU-Matt Color

|   | (Contd. of pag                                       |
|---|--|
| Partition coefficient n-octanol/water (log value) | For mixtures not applicable.                         |
| Vapour pressure at 20 °C:                         | 23 hPa (7732-18-5 water)                             |
| Density and/or relative density                   |  |
| Density at 20 °C:                                 | 1.03-1.3 g/cm³                                       |
| Vapour density                                    | Not applicable.                                      |
| 9.2 Other information                             |  |
| Appearance:                                       |  |
| Form:   | Fluid  |
| Important information on protection of health and | d  |
| environment, and on safety.                       |  |
| Ignition temperature:                             | Product is not selfigniting.                         |
| Explosive properties:                             | Product does not present an explosion hazard.        |
| Change in condition                               |  |
| Softening point/range                             |  |
| Oxidising properties                              | In its condition as supplied, the product is neither |
|   | flammable nor oxidising.                             |
| Evaporation rate                                  | For mixtures not applicable.                         |
| Information with regard to physical hazard        |  |
| classes   |  |
| Explosives  | Void   |
| Flammable gases                                   | Void   |
| Aerosols  | Void   |
| Oxidising gases                                   | Void   |
| Gases under pressure                              | Void   |
| Flammable liquids                                 | Void   |
| Flammable solids                                  | Void   |
| Self-reactive substances and mixtures             | Void   |
| Pyrophoric liquids                                | Void   |
| Pyrophoric solids                                 | Void   |
| Self-heating substances and mixtures              | Void   |
| Substances and mixtures, which emit flammable     |  |
| gases in contact with water                       | Void   |
| Oxidising liquids                                 | Void   |
| Oxidising solids                                  | Void   |
| Organic peroxides                                 | Void   |
| Corrosive to metals                               | Void   |
| Desensitised explosives                           | Void   |

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 8)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

Revision: 11.02.2025

(Contd. of page 7)

# Trade name: LUCITE® 120 PU-Matt Color

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: strong oxidizing agents

# 10.6 Hazardous decomposition products:

In case of fire arise: smoke and carbon oxides. Under certain fire conditions tracks of other toxic products can not be excluded.

\*

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification: The quoted data are literature values and/or manufacturer/supplier data.

Specific symptoms in biological assay:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

# CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The product is not classified as carcinogenic, mutagenic or toxic to reproduction (CMR properties). **11.2 Information on other hazards** 

# Endocrine disrupting properties10222-01-22,2-dibromo-2-cyanoacetamideList I556-67-2octamethylcyclotetrasiloxaneList II; III540-97-6DodecamethylcyclohexasiloxaneList II541-02-6DecamethylcyclopentasiloxaneList II

# **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: There are no statements/information available of the preparation.

**12.2 Persistence and degradability** No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.



according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

Revision: 11.02.2025

# Trade name: LUCITE® 120 PU-Matt Color

(Contd. of page 8)

12.4 Mobility in soil No further relevant information available.

# 12.5 Results of PBT and vPvB assessment

This product does not contain relevant substances that have been assessed as persistent, bioaccumulative and toxic (PBT) or as very persistent and very bioaccumulative (vPvB).

**PBT:** Not applicable. **vPvB:** Not applicable.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

# European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

| 14.1 UN number or ID number               |                 |  |
|---|-----------------|--|
| ADR, ADN, IMDG, IATA                      | Void            |  |
| 14.2 UN proper shipping name              |                 |  |
| ADR, ADN, IMDG, IATA                      | Void            |  |
| 14.3 Transport hazard class(es)           |                 |  |
| ADR, ADN, IMDG, IATA                      |                 |  |
| Class                                     | Void            |  |
| 14.4 Packing group                        |                 |  |
| ADR, IMDG, IATA                           | Void            |  |
| 14.5 Environmental hazards:               | Not applicable. |  |
| 14.6 Special precautions for user         | Not applicable. |  |
| 14.7 Maritime transport in bulk according | g to IMO        |  |
| instruments                               | Not applicable. |  |

(Contd. on page 10)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

Revision: 11.02.2025

# Trade name: LUCITE® 120 PU-Matt Color

(Contd. of page 9)

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

# Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Observe employment restrictions concerning young persons.

Observe employment restrictions for expectant or nursing mothers.

Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

# Labelling according to Regulation (EC) No 2004/42

VOC limit according to 2004/42/EC for category d (WB) and maximum VOC content: see lid.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The given conditions of work of the user extract themselves from our knowledge and control. The product/the preparation may be used without written permission for no other use, than the mentioned intended purpose. The user is responsible for the observance of all necessary legal instructions.

This Safety Data Sheet replaces all previous versions. With the newest version in each case, the preceding Safety Data Sheets are set out of strength.

For further information please consult the "Technical Data Sheet". Misuse may cause damage to health and environment. Page 11/11



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 04-04 (replaces version 04-03)

Revision: 11.02.2025

# Trade name: LUCITE® 120 PU-Matt Color

|  | (Contd. of pag   |
|--|--|
| Labellir   | ng according to regulation (EC) No 528/2012  |
| Additio  | nal information:   |
| Contain  | s protective agent for products in storage.  |
| Warning  | P. Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.   |
| Wordin   | g of H and EUH phrases (number and full text)  |
| H301   | Toxic if swallowed.  |
| H302   | Harmful if swallowed.  |
| H310   | Fatal in contact with skin.  |
| H311   | Toxic in contact with skin.  |
| H314   | Causes severe skin burns and eye damage.   |
| H315   | Causes skin irritation.  |
| H317   | May cause an allergic skin reaction.   |
| H318   | Causes serious eye damage.   |
| H319   | Causes serious eye irritation.   |
| H330   | Fatal if inhaled.  |
| H351   | Suspected of causing cancer.   |
| H361fd   | Suspected of damaging fertility. Suspected of damaging the unborn child.   |
| 1100110  |  |
| H400   | Very toxic to aquatic life.  |
|  | Very toxic to aquatic life.<br>Very toxic to aquatic life with long lasting effects.   |
| H400<br>H410   |  |
| H400<br>H410<br>EUH071   | Very toxic to aquatic life with long lasting effects.  |
| H400<br>H410<br>EUH071<br><b>Classifi</b>  | Very toxic to aquatic life with long lasting effects.<br>I Corrosive to the respiratory tract.   |
| H400<br>H410<br>EUH071<br><b>Classifi</b>  | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br>Cation according to Regulation (EC) No 1272/2008   |
| H400<br>H410<br>EUH071<br><b>Classifi</b><br>Skin ser  | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Insitisation The classification of the mixture is generally based on the calculation method using  |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of  | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.   |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version   | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br><b>previous version:</b> 23.01.2024  |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version<br>Abbrevi<br>Acute Tox   | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br>ication according to Regulation (EC) No 1272/2008<br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br>previous version: 23.01.2024<br>In number of previous version: 04-03<br>iations and acronyms:<br>c. 3: Acute toxicity – Category 3  |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version<br>Abbrevi<br>Acute Tox<br>Acute Tox  | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br>previous version: 23.01.2024<br>In number of previous version: 04-03<br><b>iations and acronyms:</b><br>(. 3: Acute toxicity – Category 3<br>(. 4: Acute toxicity – Category 4   |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version<br>Abbrevi<br>Acute Tox<br>Acute Tox<br>Acute Tox   | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br><b>previous version:</b> 23.01.2024<br><b>number of previous version:</b> 04-03<br><b>iations and acronyms:</b><br>c. 3: Acute toxicity – Category 3<br>c. 4: Acute toxicity – Category 4<br>c. 2: Acute toxicity – Category 2   |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version<br>Abbrevi<br>Acute Tox<br>Acute Tox<br>Acute Tox<br>Skin Corr.   | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br><b>previous version:</b> 23.01.2024<br><b>number of previous version:</b> 04-03<br><b>iations and acronyms:</b><br>(. 3: Acute toxicity – Category 3<br>(. 4: Acute toxicity – Category 4<br>(. 2: Acute toxicity – Category 2<br>. 1B: Skin corrosion/irritation – Category 1B  |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version<br>Abbrevi<br>Acute Tox<br>Acute Tox<br>Acute Tox<br>Skin Corr.<br>Skin Corr.   | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br><b>previous version:</b> 23.01.2024<br><b>number of previous version:</b> 04-03<br><b>iations and acronyms:</b><br>c. 3: Acute toxicity – Category 3<br>c. 4: Acute toxicity – Category 4<br>c. 2: Acute toxicity – Category 2   |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version<br>Abbrevi<br>Acute Tox<br>Acute Tox<br>Acute Tox<br>Skin Corr.<br>Skin Corr.<br>Skin Irrit. 2<br>Eye Dam.  | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br><b>previous version:</b> 23.01.2024<br><b>number of previous version:</b> 04-03<br><b>iations and acronyms:</b><br>c. 3: Acute toxicity – Category 3<br>c. 4: Acute toxicity – Category 4<br>c. 2: Acute toxicity – Category 2<br>.1B: Skin corrosion/irritation – Category 11<br>1: Serious eye damage/eye irritation – Category 1  |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version<br>Abbrevi<br>Acute Tox<br>Acute Tox<br>Acute Tox<br>Skin Corr.<br>Skin Corr.<br>Skin Corr.<br>Skin Sens  | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br>ication according to Regulation (EC) No 1272/2008<br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br>previous version: 23.01.2024<br>In number of previous version: 04-03<br>iations and acronyms:<br>(. 3: Acute toxicity – Category 3<br>(. 4: Acute toxicity – Category 4<br>(. 2: Acute toxicity – Category 2<br>. 1B: Skin corrosion/irritation – Category 1D<br>1C: Skin corrosion/irritation – Category 2<br>1: Serious eye damage/eye irritation – Category 1<br>s. 1: Skin sensitisation – Category 1   |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version<br>Abbrevi<br>Acute Tox<br>Acute Tox<br>Acute Tox<br>Skin Corr.<br>Skin Corr.<br>Skin Corr.<br>Skin Sens<br>Skin Sens   | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br><b>previous version:</b> 23.01.2024<br><b>number of previous version:</b> 04-03<br><b>iations and acronyms:</b><br>4. 3: Acute toxicity – Category 3<br>4. 4: Acute toxicity – Category 4<br>4. 2: Acute toxicity – Category 4<br>5. 2: Acute toxicity – Category 18<br>10: Skin corrosion/irritation – Category 10<br>11: Serious eye damage/eye irritation – Category 1<br>5. 1: Skin sensitisation – Category 1<br>5. 1: Skin sensitisation – Category 1<br>5. 1: Skin sensitisation – Category 1A  |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version<br>Abbrevi<br>Acute Tox<br>Acute Tox<br>Acute Tox<br>Skin Corr.<br>Skin Corr.<br>Skin Corr.<br>Skin Sens<br>Skin Sens<br>Carc. 2: C   | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Institution The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br><b>previous version:</b> 23.01.2024<br><b>number of previous version:</b> 04-03<br><b>iations and acronyms:</b><br>c. 3: Acute toxicity – Category 3<br>c. 4: Acute toxicity – Category 4<br>c. 2: Acute toxicity – Category 4<br>c. 2: Acute toxicity – Category 18<br>10: Skin corrosion/irritation – Category 18<br>11: Skin corrosion/irritation – Category 1<br>2: Skin corrosion/irritation – Category 1<br>3: 1: Skin sensitisation – Category 1<br>4: 1: Skin sensitisation – Category 1<br>5: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: |
| H400<br>H410<br>EUH071<br>Classifi<br>Skin ser<br>Date of<br>Version<br>Abbrevi<br>Acute Tox<br>Acute Tox<br>Acute Tox<br>Skin Corr.<br>Skin Corr.<br>Skin Corr.<br>Skin Sens<br>Skin Sens<br>Carc. 2: C<br>Repr. 2: R   | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Insitisation The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br><b>previous version:</b> 23.01.2024<br><b>number of previous version:</b> 04-03<br><b>iations and acronyms:</b><br>4. 3: Acute toxicity – Category 3<br>4. 4: Acute toxicity – Category 4<br>4. 2: Acute toxicity – Category 4<br>5. 2: Acute toxicity – Category 18<br>10: Skin corrosion/irritation – Category 10<br>11: Serious eye damage/eye irritation – Category 1<br>5. 1: Skin sensitisation – Category 1<br>5. 1: Skin sensitisation – Category 1<br>5. 1: Skin sensitisation – Category 1A  |
| H400<br>H410<br>EUH071<br><b>Classifi</b><br>Skin ser<br><b>Date of</b><br><b>Version</b><br><b>Abbrevi</b><br>Acute Tox<br>Acute Tox<br>Acute Tox<br>Acute Tox<br>Skin Corr.<br>Skin Corr.<br>Skin Corr.<br>Skin Sens<br>Carc. 2: C<br>Repr. 2: R<br>Aquatic A<br>Aquatic C | Very toxic to aquatic life with long lasting effects.<br>1 Corrosive to the respiratory tract.<br><b>ication according to Regulation (EC) No 1272/2008</b><br>Institution The classification of the mixture is generally based on the calculation method using<br>substance data according to Regulation (EC) No 1272/2008.<br><b>previous version:</b> 23.01.2024<br><b>number of previous version:</b> 04-03<br><b>iations and acronyms:</b><br>. 3: Acute toxicity – Category 3<br>. 4: Acute toxicity – Category 4<br>. 2: Acute toxicity – Category 2<br>. 1B: Skin corrosion/irritation – Category 1B<br>. 1C: Skin corrosion/irritation – Category 1<br>. 1: Skin sensitisation – Category 2<br>Reproductive toxicity – Category 2<br>Reproductive toxicity – Category 2  |